

# Series 6, French door bottom freezer, multi door, 183 x 90.5 cm, Brushed steel anti-fingerprint KFD96APEA



A ↑ G







The Multi Door fridge freezer combination: step into a XXL world of freshness with VitaFresh <0°C> XXL. Say goodbye to defrosting headaches and hello to an endless supply of filtered water and ice at your fingertips.

- XXL capacity: extra space for your food when you need it.
- Ice dispenser: Mains water connection to ensure ice cubes are always ready when you need them.
- VitaFresh XXL <0°C>: keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- No Frost: never defrost again, thanks to perfect protection from ice formation that saves time and effort.
- Multi Airflow System: even air distribution for longer freshness.

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year	
(kWh/a):	•
Sum of volume of frozen compartments:	•
Sum of volume of chill compartments:	
Airborne acoustical noise emissions :	
Airborne acoustical noise emission class:	
Built-in / Free-standing:	
Door panel options:	
Height:	1830 mm
Width of the appliance:	905 mm
Depth:	731 mm
Net weight:	128.5 kg
Fuse protection:	10 A
Door hinge:	left and right
Voltage:	220-240 V
Frequency:	50-60 Hz
Length electrical supply cord:	
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	
Reversible Door Hinge:	No
Number of Adjustable Shelves in fridge compartment:	
Shelves for Bottles:	Yes
Frost free system: Fri	Ü
Installation typology:	Free-standing





Series 6, French door bottom freezer, multi door, 183 x 90.5 cm, Brushed steel anti-fingerprint KFD96APEA

The Multi Door fridge freezer combination: step into a XXL world of freshness with VitaFresh <0°C> XXL. Say goodbye to defrosting headaches and hello to an endless supply of filtered water and ice at your fingertips.

- No Frost, CrossDoor
- Standard door Stainless Steel EasyClean

### **Performance and Consumption**

- EU19\_EEK\_D: E
- Total Volume : 574 l
- Annual Energy Consumption: 327 kWh/a
- Noise Level: 39 dB, EU19\_Noise emission class\_D: C

#### Functions

- Stainless Steel EasyClean doors and chrome inox metallic side panels
- Plastic Integr. handle hori. and vert.
- Bright interior LED fridge light

### Design features

- Electronic control for fridge and freezer with LED display  $\,$
- Wi-Fi connectivity
- lockable lid
- Home Connect: iService Remote, Remote Monitoring and Control with Wi-Fi connectivity
- Separate temperature control for cooling and freezing section
- Super Cooling: automatic deactivation
- SuperFreezing function with automatic deactivation
- optical, acoustic for Fridge and Freeze
- Automatic defrost fridge
- Freezer malfunction warning signal: optical, acoustical

### Ice and Water

- Illuminated water and ice dispenser
- Automatic ice cube maker

### Design features

- Net Fridge Volume : 375 l
- $\operatorname{MultiAirflow}$  system improves circulation of air around the fridge
- 5 safety glass shelves of which 4 are height adjustable
- 1 removable door storage compartments.

### Freshness System

- 1 VitaFresh drawer Fish and meat stay fresh for longer
- 1 CrisperBox vegetable/salad container with humidity control

### Food freshness system

- Net Freezer Volume : 199 l - Freezing capacity 24h : 16 kg
- 6 freezer drawers

- EU19\_Fast freezer facility\_D

### Key features - Fridge section

- 4 height adjustable feet
- Climate Class: SN-T
- 220 240 V
- Connection Length (water supply):300 cm
- Length of power cord:240 cm

#### **Dimension and installation**

- Dimensions: 183 cm H x 90.5 cm W x 73.1 cm D

# Key features - Freezer section

- 3 x egg tray

# Included accessories

### **Country Specific Options**

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.


#### **Design features**

# Dimension and installation

#### **Additional features**



# Series 6, French door bottom freezer, multi door, 183 x 90.5 cm, Brushed steel anti-fingerprint KFD96APEA



**A:** Front is adjustable 1830–1847 mm, with front levelling feet fully extended

