

iQ300, Free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KS36VVEPG



Refrigerator with hyperFresh to keep fruit and vegetables fresh longer and softStart LED illuminates the interior of the fridge brilliantly.

- ✓ hyperFresh – The extra-large drawer for your fruit and vegetables.
- ✓ LED light – Even lighting throughout the inside of your fridge to keep everything in view.
- ✓ bottleRack – Store your bottles safely and within easy reach.
- ✓ superCooling: faster cooling for fresh food.
- ✓ safetyGlass shelves – Extra strong and easy to clean.

Energy Efficiency Class:	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	116 kWh/annum
Sum of volume of frozen compartments:	0 l
Sum of volume of chill compartments:	346 l
Airborne acoustical noise emissions :	39 dB(A) re 1pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Freestanding
Door panel options:	Not possible
Height:	1860 mm
Width of the appliance:	600 mm
Dimensions:	650 mm
Weight:	71.2 kg
Fuse protection:	10 A
Door opening:	Left reversible
Nominal power:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	230.0 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	Yes
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	5
Shelves for Bottles:	Yes
EAN code:	4242003874042
Brand:	Siemens
Product name / Commercial code:	KS36VVEPG
Product category:	Upright fridge
Frost free system:	No
Installation type:	Freestanding
Included accessories:	3 x egg tray

3 x egg tray	
KS10Z010	Snackbox
KS10Z030	Bottle Rack
KS39ZAL00	Connection set inox



iQ300, Free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KS36VVIEPG

Functions

- Stainless steel anti-fingerprint doors and Pearl grey (VZF 07127) side panels
- Brushed aluminium vertical door handle
- Bright interior LED fridge light

Design features

- Electronic control (LED chain)
- vitaControl - constant temperature by intelligent sensor technology - Constant temperature control by intelligent sensor technology
- Super Cooling: automatic deactivation

Design features

- Interior ventilator
- Automatic defrost in fridge section
- 7 removable safety glass shelves of which 5 are easy pull out
- Bottle rack
- 5 door trays, including 1x dairy compartment

Freshness System

- 1 hyperFresh box with integrated humidity control

Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

Key features - Fridge section

- Left hinged, door reversible
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- Transportation handles
- 220 - 240 V

Key features - Freezer section

- KS36VVIEPG

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Included accessories

Design features

Dimension and installation

Additional features

Performance and Consumption



- EU19_EEK_D: E
- Total Volume : 346 l

- Net Fridge Volume : 346 l
- Net Freezer Volume : 0 l
- Annual Energy Consumption: 116 kWh/a
- Climate Class: SN-T
- Noise Level : 39 dB , EU19_Noise emission class_D: C



iQ300, Free-standing fridge, 186 x 60 cm, Brushed steel anti-fingerprint KS36VVEPG

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
 - b Width
 - c Depth with closed door w/o handle and w/o distance part
 - d Depth of cabinet w/o distance part
 - e Width with open door w/o handle
 - f Depth with open door w/o handle w/o distance part
- measurements in cm



measurements in mm



measurements in mm